

Metal Shed

OWNER'S MANUAL /

Instructions for Assembly Archer Plus-A



Requires two people and takes 2-3 hours for Installation.

Assembly Preparation

Owner's Manual

Please check local building codes regarding footings, location and other requirements before beginning construction. Study and understand this owner's manual of important information and helpful tips for easier and more enjoyable assembly.

Assembly instructions:

Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Flooring base:


Your storage building must be anchored to prevent wind damage and A base may necessary to be constructed with a square and level building. The base is not included in the kit which may need purchase separately or may construct a foundation and anchoring system of your own. A good location for the storage building is a level area with good drainage.

Parts and Parts List:

Check to be sure that you have all the necessary parts for your building.

Tools you need:

(Please tear off the safety protection layer before the assembly, keep the part number label if needed)




Safety must be put in the No. 1 position:

- 1 Select a dry and calm day for your assembly. Team works (Two or more people) are required during the assembly;
- 2 Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury; Pay attention to the sharp edge of some parts;
- 3 Children and pets are not allowed entering into the construction site;
- 4 Never concentrate your total weight on the roof of the building. When using a step ladder make sure that it is safety;


Care & Maintenance:


- 1 Keep the shed clean with soft cloth, use water if necessary;
- 2 Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.
- 3 Clean the snow with necessary tools to make sure it is safe to enter into.
- 4 The shed is not made for living but storing stuff.
- 5 Please add some oil on the top and bottom door sliding channel to make door slides smoothly.

Size of Archer Plus-A:




Area of installation requirement:






NO.	IMAGE	mm	QTY	NO.	IMAGE	mm	QTY
UNDER				DOOR			
Bs-A1		1055	x1	Ap-A30		1743	x1
Bs-A2		1074	x1	Ap-A35		1743	x1
Bs-A3		1174	x2	Bp-31		1683	x2
Bs-A4		590	x1	Bp-A32		962	x4
Bs-A5		590	x1	Bs-A33		486	x1
Bs-A6		958	x1	Bs-A34		486	x1
MIDDLE				Bs-A36		486	x1
Bp-A7		1748	x2	Bs-A37		486	x1
Bp-8b		1748	x3	WINDOW			
Bp-8c		1748	x1	W-1			x1
Bp-14		1748	x3	W-2			x1
Bs-A9		995	x1	W-3		460	x2
Bs-A10		995	x1	W-4		246	x2
Bs-A11		873	x1	ANNEX			
Bs-A12		1190	x1	T-P1			x4
As-A13		1168	x2	T-P2			x4
Bp-16		1748	x1	T-P3			x4
Bp-17		1748	x1	T-P4			x2
Bs-A18		1044	x1	TP5A			x4
Bs-A47		1004	x2	T-P6			x2
Bs-A48		1146	x2	T-P7		200	x1
TOP1				T-P8			x2
As-A19		995.3	x2	Ap-A40			x180
As-A20		995.3	x2	Ap-A41		ST4X10	x178
As-A22		1174	x4	Ap-A42		ST4X16	x16
T-A29		120	x2	Ap-A43		M4X10	x73
T-A29a		120	x2	Ap-A44			x96
TOP2							
As-A23		1090	x2				
As-A25		1090	x2				
As-26		1296	x2				
As-A38		1088	x2				
As-A39		1088	x2				
As-A28		1298	x1				


1




2




3




4




5.




6




7




8




9




10






11





12









16





17





18





19





20





21





22






23





24









28





29





30





31





32





33





34




35




36




37




x 2




38



x 2




39




x 4


x 4





40




x 96







1




2




3



4



5



6

